



3446A-DG



单刻度双向圆头72齿扭力扳手 (牛顿米)

- 单刻度 - 牛顿米
- 颜色识别的快脱键
- 可在狭小空间使用
- 质量符合 DIN ISO 6789:2017 & ASME B107.300-2010
- 扭力公差 $\pm 3\%$
- 顺时针 / 逆时针使用
- 扭力产品必须定期回公正单位做扭力校正以确保扭力值准确。建议的校正时间为使用一年或者是使用5,000次以上



- 3/8"-3426A-2DK03
 - 1/2"-3446A-1DK03
 - 3/4"-3446A-1DK02
- series No. before 2019



Item	Square Drive	Torque Range Nm	Incr.	Overall Length mm			DK
3426A-1DG	1/4"	2~10 N·m	0.1 N·m	285	560	1 / 24	3426A-1DK02 (series No.before 19106A)
3426A-2DG	1/4"	4~20 N·m	0.1 N·m	325	640	1 / 24	3426A-1DK02 (series No.before 19106A)
3436A-2DG	3/8"	20~100 N·m	0.5 N·m	430	1300	1 / 12	3436A-2DK 3436A-2DK02 (series No.before 19106A) 3436A-2DK03 (series No.before 2209)
3446A-1DG	1/2"	40~200 N·m	1 N·m	490	1460	1 / 12	3446A-1DK 3446A-1DK02 (series No.before 19106A) 3446A-1DK03 (series No.before 2209)
3446A-2DG	1/2"	60~340 N·m	2 N·m	590	1750	1 / 12	3446A-1DK 3446A-1DK02 (series No.before 19106A) 3446A-1DK03 (series

