



761M



Apretatuercas

- Acero de aleación al cromo vanadio
- Aceitado antióxido, arenado
- Aprietatuercas
- Tipo magnético
- DIN 3126

Item	mm	mm	Overall Length mm		
7616505M	5	2.3	65	27	6 / 84
7616506M	6	2.6	65	26	6 / 84
7616507M	7	2.9	65	25	6 / 84
7616508M	8	3.5	65	30	6 / 84
7616510M	10	4.5	65	37	6 / 72
7616512M	12	5.6	65	52	6 / 72
7616513M	13	6.0	65	54	6 / 72
7616514M	14	6.5	65	52	6 / 20
7611006M	6	2.6	100	38	1 / 25
7611008M	8	2.5	100	54	1 / 25

Item	 mm	 mm	Overall Length mm		
7611010M	10	4.5	100	54	1 / 25
7611012M	12	5.6	100	63	1 / 25
7611013M	13	6.0	100	71	1 / 25
7611014M	14	6.5	100	77	1 / 25
7611506M	6	2.6	150	58	1 / 25
7611507M	7	2.9	150	65	1 / 25
7611508M	8	3.5	150	67	1 / 25
7611510M	10	4.5	150	68	1 / 25
7611512M	12	5.6	150	103	1 / 25
7611513M	13	6.0	150	110	1 / 25
7611514M	14	6.5	150	115	1 / 25
7612006M	6	2.6	200	78	1 / 20
7612008M	8	3.5	200	93	1 / 20
7612010M	10	4.5	200	89	1 / 20

Item	 mm	 mm	Overall Length mm	 g	 / 
7612012M	12	5.6	200	128	1 / 20
7612014M	14	6.5	200	128	1 / 20